

RPP/RRPÁ+k ĩ ž+^ G ÿ n6• O'%2Í L;°7Ò

1 Ä (©&é

G÷+XF CµQ 4ß Ö+e 4x w6Š6Š I' A72 Æÿ £7ì# ü A ù h6< @ Ä§ 9 Ê;´ w 0 W - È
x ñ0ªLÉ)· x f w 0 Ä Œ j jQ Ä ûCX •6G ? Ä > J/ý+e é ~#"=\$="é-(é W - È C § f Ä

2 Ä Ä+X93 \$

k?± Ä+X ¾7ì4è = 8#"é ûCX F ~7ì#"é ûCX+e é ~ È²EÄ +e3+5 ,´ Ì>• - Äw » Ä
% # Ä6V 81y
]Q »+e È+e é ~ Ä+e é ? Ä O ~ fFP1y Ä

3 Ä;7ìj (?ò l

?ò	l	Size	9L	10L
----	---	------	----	-----

1 X P E H	/ H W W H	1 X P E H	/ H W W H U
-0.4	B	+0.1	V
-0.3	C	+0.2	W
-0.2	D	+0.3	X
-0.1	E	+0.4	Y
0	L	+0.5	Z


/j » Ö MPP8Ë/j WMÊ Ö j - P×RPP2L>~j MMÊ Ö j 12.0 - P

5 Å °_(@±Ä" » IÄ

N©-	... }	" »		#(B 7 ö
		2Ç F7ì ÄMŽ+e ... 4*6 Å	RRPP ÄPP	
ö Ö	g/• ³		0.910	GB/T 13542.2-2009/5
Ä&é			170	GB/T 13542.2-2009/22.1
ù h j Ö	4â A MD	MPa	150	GB/T 13542.2-2009/25
	Z A TD	MPa	300	GB/T 13542.2-2009/25
Ý>ò hK)-	4â A TM	%	150	GB/T 13542.2-2009/25
	Z A TD	%	50	GB/T 13542.2-2009/25
i W QGÿ	4â A MD	MPa	2600	GB/T 13542.2-2009/25
	Z A TD	MPa	4500	GB/T 13542.2-2009/25
0°LÉ)-	£ w l	%	9.0	GB/T 13542.2-2009/35
' f5Y)-	4â A MD	%	3.0	GB/T 13542.2-2009/23
	Z A TD	%	1.0	
>~M'2Ç3 Ö	RRPP	- P	0.40	GB/T 13542.2-2009/8
	RPP	- P	0.30/0.40	GB/T 13542.2-2009/8
û+e j Ö Ä £ w l Ä		9 - P	530	GB/T 13542.2-2009/18.2.2
™ 3+ (M%o/ Ø			0.9/0.8	GB/T 100061988
-() û+e h			2.2	GB/T 13542.2-2009/17.1
f0 +eLk)-		i . P	10 ¹⁶	GB/T 13542.2-2009/16.1
û+e •6G 3P			2.0×10 ⁻⁴	GB/T 13542.2-2009/17.1

1 :ò MŽ ° _ •AP È ò È ò63



6 Å +e a&é



7 Å F-(©W

& 6	SSP
"_ [Gy	SSP
"d [Gy	SSP

8 Å ù hjÖ "4i





BOPP Film for Capacitor

1 í K

